

The Little Encyclopedia Index

- Actual Local Size:** See: Size, Actual Local.
- Actual Mating Envelope:** See: Envelope, Actual Mating.
- Actual Mating Size:** See: Size, Actual Mating.
- Actual Value**
- ALIGN (WT)**
- All Around:** (Y14.5 €3.3.18 p. 46, and €6.5.1 (c) p.163).
- ALL OVER:** (Y14.5 €6.5.2 (a) pp. 163-167).
- Angularity:** (Y14.5 €6.6 p. 174).
- Axis:** (Y14.5 €1.3.13 p.3).
- Base Plane**
- BASIC:** See: Dimension, BASIC.
- Best Fit**
- Bidirectional Position:** See: Position, Bidirectional.
- Bilateral Tolerance:** See: Tolerance, Bilateral.
- Bonus Tolerance:** See: Tolerance, Bonus.
- BOUNDARY**
- Boundary, Inner:::** (Y14.5 €1.3.1 p. 2. / Y14.5 €2.11 p. 29).
- Boundary, Outer:::** (Y14.5 €1.3.2 p. 2. / Y14.5 €2.11 p. 29).
- Boundary Position:** See: Position, Boundary.
- Bounded Feature:** See: Feature, Bounded.
- Cartesian Coordinate System**
- Center Plane**
- Centroid**
- Centroid, Projected**
- Circle**
- Circular Runout:** See: Runout, Circular.
- Circularity (Roundness):** (Y14.5 €6.4.3. p. 162).
- CLOCK**
- CMM**
- Coaxial**
- Coaxiality, Slabs and Slots:** (Y14.5 €5.11 p. 142 / SIM REQ).
- Coaxiality, Surfaces of Revolution:** (Y14.5 €5.11 p. 142).
- Composite Feature Control Frame:** See: Feature Control Frame, Composite / Feature Control Frame.
- Compound Datum Feature (WT)**
- Compound Feature Control Frame (WT)**
- Concentricity:** (Y14.5 €5.12 p. 144 / Y14.5.1 €5.7 p. 32).
- Cone**
- Conicity:** (Y14.5 €6.5.8 p. 172).
- Considered Feature Material Condition Modifier:** See: Material Condition Modifier.
- Constrained State:** (Y14.5 €1.4 (l) p. 4, and €6.8 pp. 191-196).
- Controlled Radius Tolerance - CR:** See: Radius Tolerance, Controlled.
- Coordinate Measuring Machine**
- Co-planar**
- Coplanarity:** (Y14.5 €6.5.6 pp. 171-172).
- CR**
- Cylinder**
- Cylindricity:** (Y14.5 €6.4.4 p. 162).
- Datum:** (Y14.5 €1.3.3 p. 2 and €4.5 pp. 55-70 / Y14.5.1 €4 pp. 13-16).
- Datum, Simulated:** (Y14.5 €1.3.6, p.2. / Y14.5 Figs. 4-10 through 4-17 pp. 60-65).
- Datum Feature:** (Y14.5 €1.3.4 p. 2
- Datum Feature, Compound (WT):** (Y14.5 €4.5.7.2 p. 67).
- Datum Feature, Primary , Secondary, Tertiary**
- Datum Feature Label**
- Datum Feature Material Condition Modifier:** See: Material Condition Modifier.
- Datum Feature Simulator:** (Y14.5 €1.3.5 p. 2. / Y14.5 Section 1.4. pp. 51-79).
- Datum Feature Simulator Control, Rules of (WT)**
- Datum Feature Simulator, Mathematical**
- Datum Feature Simulator, Physical**
- Datum Feature Symbol:** (Y14.5 €3.3.2 p. 41 / €4.3.2 - 4.3.3 p. 52 / 2€4.6.6 p. 73, and €4.6.7 p. 79 / Figure 5-2 p. 83).
- Datum Reference Frame:** (Y14.5 €4.2.2 p. 5).
- Datum Reference Frame Construction Process:** (Y14.5 €4.2.2 p. 5).
- Datum Reference Frame Constr. Process Components:**
- Datum Reference Frame Construction Rules (WT)**
- Datum Reference Frame Construction Tools (WT)**
- Datum Reference Frame Mobility:** (Y14.5 €5.3.2.2 p. 85)
- Datum Shift Ó Bonus:** (Y14.5 €5.3.2.2 p. 85).
- Datum Target:** (Y14.5 €4.6 pp. 70-79).
- Datum Target Simulator Control, Rules of (WT)**
- Datum Target Symbol:** (Y14.5 €4.6 pp. 70-79).
- Degrees of Constraint Modifiers**
- Degrees of Freedom**
- Derived Median Line:** (Y14.5 €1.3.16 p. 3).
- Derived Median Plane:** (Y14.5 €1.3.15 p. 3).
- DFS:** See: Datum Feature Simulator.
- Diameter5.**
- Diameter5Average**
- Diameter6Circumferential**
- Dimension6, Actual:** See: Actual Value.
- Dimension6, BASIC:** (Y14.5 €1.3.9 p. 2).
- Dimension, Nominal**
- Dimension6, Reference**
- Dimension6, Origin:** (Y14.5 €2.6.1 p. 26).
- DRF:** See: Datum Reference Frame.
- Effective Tolerance (WT):** See: Tolerance, Effective.
- Envelope8.**
- Envelope8Actual Mating:** (Y14.5 €1.3.11 p. 2)
- Envelope8Least Material Condition:** (Y14.5 (see €2.7.1.2 (c) 10. p. 27)10.
- Envelope9Location Constrained Actual Mating (WT)**
- Envelope, Maximum Material Condition:** (Y14.5 €2.7.1.2 p. 27).
- Envelope9Orientation Constrained Actual Mating (WT)**
- Envelope9Orientation Constrained Effective (WT)**
- Envelope, Unconstrained Actual Mating (WT)**
- Envelope9Virtual Condition**
- Envelope6 Principle:** See: Envelope Rule.
- Envelope6 Rule:** (Y14.5 €2.7.1.2 p.27).
- Essence of GD&T, The**
- FCF:** Feature Control Frame.
- Feature 11.**
- Feature, Best Fit Substitute**
- Feature, Bounded**
- Feature, Considered**
- Feature, Datum:** See: Datum Feature.
- Feature, Maximum Inscribed Substitute**
- Feature, Minimum Circumscribed Substitute**
- Feature, Partial**
- Feature, Substitute**

The Little Encyclopedia Index

- Feature, Whole:** See: Feature, Partial.
Feature Component (WT)
Feature Control Frame
Feature Control Frame, Composite: (Y14.5 €5.4 pp. 93-133).
Feature Control Frame, Compound (WT): (Y14.5 €5.4 pp. 93-133).
Feature Control Frame Functions & Anatomy
Feature Control Frame Reading
First Angle Projection Convention: See: Projection Conventions, Drawing.
Fit:
Flatness: (Y14.5 €6.4.2 p. 161).
Form
Free State Modifier F: (Y14.5 €1.4 (l) p. 4, and €6.8 pp. 191-196).
FRTZF: (Y14.5 €5.4 pp. 93-115).
Function Path (WT)
Functional Gage
Functional Gage, Mechanical
Functional Gage, Universal
Gage Makers Tolerances
GD&T, What is it?
Geometric Characteristic
Geometric Dimensioning & Tolerancing
Geometric Entity
Geometrophile
Geometrophiliac
Geometrophobe
Geometry
Global Rules of GD&T
Global Tolerance: See: Tolerance, Global.
Incremental Tolerance: See: Tolerance, Incremental.
Intersection, Feature of
Inverse Datum Feature (WT)
Iterative
Least Material Condition (LMC): See Material Condition, Least.
LE: Little Encyclopedia.
LEVEL
Line, Curved
Line, Straight
LMC
LMC Actual Local Size
LMC Envelope
LMC Sphere: (Y14.5.1 €2.3 pp. 7-9).
Location
Location Constrained Actual Mating Envelope (WT)
Location Constrained Actual Mating Size (WT)
Locus
Long Read, The (WT)
Machine Part
Material Condition
Material Condition, Least (LMC): (Y14.5 €1.3.19 p. 3).
Material Condition, Maximum (MMC): (Y14.5 €1.3.20 p. 3).
Material Condition Modifier: (Y14.5 €2.8 p.28 and €1.5.1 through 4.5.6 pp. 55-59 and €5.3 pp. 81-93).
Material Filled Zone
Material Free Zone
Material Location Modifiers
Maximum Material Condition (MMC): See Material Condition, Maximum.
Mid-Plane: See Center Plane.
Mid-Point
Mobility
Mobility, Datum Reference Frame
Mobility, Tolerance Zone
MMC 77.
MMC Envelope: See: Envelope, Maximum Material Condition
Modifier
Nominal: See: Dimension, Nominal.
Nominal Tolerance: See Tolerance, Nominal.
Normal 30.
ORIENT (WT)
Orientation
Orientation Constrained Actual Mating Envelope: See: Envelope, Orientation Constrained Actual Mating.
Orientation Constrained Actual Mating Size: See: Size, Orientation Constrained Actual Mating.
Orientation Constrained Axis (WT)
Orientation Constrained Center Plane (WT)
Origin 70.
Orthogonal
Paper Gage
Parallelism: (Y14.5 €6.6 p. 174).
Partial Feature: See: Feature, Partial.
Pathological Vision (WT)
PERFECT FORM AT MMC NOT REQD: (Y14.5 €7.2 p. 27). 32.
Perpendicularity: (Y14.5 €6.6 p. 174).
Pierce Point
Pitch, Y&Z and Roll
PIVOT (WT)
Plane 32.
PLTZF: (Y14.5 €5.4 pp. 93-115).
Point 32.
Position: (Y14.5 € pp. 81-155).
Position, Bidirectional: (Y14.5 €5.9 pp. 135-139).
Position, Boundary : (Y14.5 €5.10 pp. 139-142, and €5.5.1 pp. 168-171).
Position Characteristics
Primary Axis (WT)
Primary Datum Feature: See: Datum Feature, Primary.
Profile of a Line: See: Profile, Section.
Profile of a Surface: See: Profile, Surface.
Profile, Section: (Y14.5 €6.5, pp. 163-174).
Profile, Surface: (Y14.5 €6.5 pp. 163-174).
Projected Tolerance Zone Modifier P: (Y14.5, €3.4.7, p. 48 and Figures 5-33, 5-33 and 5-34, p. 134).
Projection Conventions, Drawing
Radius Tolerance - R: (Y14.5 €2.15.1 p. 38).
Radius Tolerance, Spherical - SR: (Y14.5 €2.15.1 p. 38).
Radius Tolerance, Controlled - CR: (Y14.5 €2.15.2 p. 38).
Radius Tolerance, Controlled Spherical - CSR: See: Radius Tolerance, Controlled - CR.
Regardless of Feature Size: (Y14.5 €2.8 p. 28, and Y14.5 Appendix A4 Section 2 p. 199).
Remaining Axes
Resolved Geometry: (Y14.5.1 €1.4.17 p. 4).

The Little Encyclopedia Index

- Resultant Condition, Feature with Size:** (Y14.5 €2.11 pp. 29-35 including Figures 2-7 through 2-12).
- Resultant Condition, Feature without Size (WT)**
- Resultant Condition Size:** (Y14.5 €1.3.29 p. 3.)
- RFS**
- Right Hand Rule**
- Roll:** See: Pitch, Yaw and Roll.
- ROTATE**
- Runout**
- Rule #1:** See: Envelope Rule.
- Rules of Datum Feature Simulator Control:** See Datum Feature Simulator Control, Rules of (WT)
- Rules of Datum Reference Frame Construction:** See Datum Reference Frame Construction Rules (WT)
- Rules of Datum Target Simulator Control:** See Datum Target Simulator Control, Rules of (WT)
- Rules of GD&T, Global**
- Runout, Circular:** (Y14.5 €6.7 pp.189-191).
- Runout, Total:** (Y14.5 €6.7 pp.189-191).
- Secondary Datum Feature Section**
- SEP REQT:** (Y14.5 €4.5.12 p. 68, and €5.3.6.1-2 pp. 92-93).
- SET ORIGIN (WT)**
- Short Read, The (WT)**
- SIM REQT:** (Y14.5 €4.5.12.1 p. 70).
- Simultaneity, Rule of :** See Datum Reference Frame Construction Rules, Rule # 6.
- Size:** (Y14.5 €2.6.1 p. 26 and €2.7 pp.26-28 / Y14.5.1 €2.3 pp. 7-9).
- Size, Actual Local:** (Y14.5 €1.3.25 p. 3).
- Size, Actual Mating:** (Y14.5 €1.3.26 p. 3).
- Size, Differential (WT)**
- Size, Feature with:** (Y14.5 €1.3.17 p. 3).
- Size, LMC Actual Local**
- Size, Location Constrained Actual Mating (WT)**
- Size, Orientation Constrained Actual Mating (WT)**
- Size, Unconstrained Actual Mating (WT)**
- Size, Wall Thickness (WT)**
- Slab**
- Slot**
- Soft Gage**
- Sources & References, GD&T**
- Sphere**
- Sphere, LMC:** (Y14.5.1 €2.3.1).
- Sphericity:** (Y14.5 €6.4.3(b), p. 162).
- Spine (Y14.5.1):** (Y14.5.1 €1.4.23 p. 5 and €2.3 p. 7.)
- Spine (WT)**
- Spine Illustrations**
- Straightness**
- Straightness, Derived Median Line:** (Y14.5 €6.4.1, pp. 157-161).
- Straightness, Derived Median Plane:** (Y14.5 €6.4.1, pp. 157-161).
- Straightness, Surface Element:** (Y14.5 €6.4.1, pp. 157-161).
- Substitute Feature**
- Surface Element**
- Surface Profile:** See: Profile, Surface
- Symmetry:** (Y14.5 €5.14 p. 149).
- Symmetry, Feature of**
- Tangent Plane:** (Y14.5 €1.3.21 p. 3).
- Tangent Plane Modifier T:** (Y14.5 €6.6.1.3 p. 175).
- Taylor Principle:** See: Envelope Rule.
- Tertiary Datum Feature**
- Third Angle Projection Convention:** See: Projection Conventions, Drawing.
- Three-Two-One Rule**
- TIR** 50.
- Tolerance** 60.
- Tolerance, Bilateral**
- Tolerance, Bonus**
- Tolerance, Considered Feature Material Condition Bonus**
- Tolerance, Datum Feature Material Condition Bonus:** (Y14.5 €5.11.1, pp. 142-4, and Figure 5-48, p. 144 and Figure 5-50, p. 146).
- Tolerance, Effective (WT)**
- Tolerance, Global**
- Tolerance, Incremental**
- Tolerance, Nominal (WT)**
- Tolerance, Offset Unilateral**
- Tolerance, Unilateral**
- Tolerance Bandwidth**
- Tolerance Zone**
- Tolerance Zone Expansion & Mobility**
- Tolerance Zone Modifiers**
- Tolerance Zone Museum**
- Toroid** 53.
- Toroidicity (WT)**
- Torus**
- Total Runout:** See: Runout, Total.
- TRANSEATE**
- True Geometric Counterpart (Y14.5 €1.3.35, p. 4./ Figs. 4-10 55. through 4-17 pp. 60-65).**
- True Position (Y14.5 €1.3.36, p. 4.)**
- True Profile**
- Unconstrained Actual Mating Envelope (WT):** See: Envelope, Unconstrained Actual Mating.
- Unconstrained Actual Mating Size (WT):** See: Size, Unconstrained Actual Mating.
- Vector** 56.
- Vector, Normal**
- Vector, Unit**
- Virtual Condition (Y14.5 €1.3.30 p. 3.)**
- Virtual Condition Envelope for a Feature with Size (Y14.5 €1.3.37 p. 4 / Y14.5 €2.11 pp. 29-35 including Figures 2-7 through 2-12)**
- Virtual Condition Envelope for a Feature without Size (WT)**
- Virtual Location (WT)**
- Virtual Size**
- Wall Thickness:** See Size, Wall Thickness.
- What is GD&T?**
- Whole Feature:** See Feature. Whole.
- Yaw:** See Pitch, Yaw, Roll.
- Y14.5 Annotation Tools:**
- Y14.5 Geometry Control Tools:**
- Y14.5 Tolerance Overlaps Chart:**
- 60.
- 60.
- 60.
- 60.